

SUSTAINABILITY OF WATER SOURCE

(NO.W11019/6/2022-E-inC/PHE/58 Dt. 17.1.2023)

Technology : A hrin dupna chhan chu engtinmah khawih loh vang

Khaw hming : Bac Kawag

Block : Saweti P.

District : Saweti P.

Division, PHED : Saweti P.

Tui hnar hming : Rannilei (N-23°44.892, E-92°43.329)

Tui tam lam (Discharge) : 223 lit / Hr. (Dt. 1.2.23)

Humhalh duh chhan : catchment Area needs conservation of forest

Humhalh tur ram zauzawng vel : Intake at unga left 500m to A hrin lam

A ramri chin siamfel a ni em? : two rice 200 mtg = 100 m².

A ramchhungah mimal ram a awm em? : Acorn

Mihring leh ran luh theihna hung phui a remchang em? : Acne (200 mtg)

A hung nan a senso ngai zat vel :

PHED LEH WATSAN COMMITTEE INTIAMNA

He..... ram hi humhalh rem kan ti a, mihring leh ran luhna khan remchang lai tur hungphui rem kan ti. He tuihna a lo pun theihnan a ram humhalhna chin hi fel takin hetiang hian siam a ni.

Chhim :

Hmar :

Thlang :

Chhak :

He kan khua tana tuilak hna humhalh tur hian PHED nen thawhho zel rem kan ti a. Tun hnuah humhalh ram chhunga thing hring mai ni lovin thingro tlu tak ngial pawh lak phal a ni lo ang. A tul angin tuihna tipung turin thingphun belh leh ruahtui luang chelh ding tur (artificial recharge) hmangin hmalak a ni ang. PHED leh WATSAN Committee remtih dunna lo chuan humhalh chhungah hian engti kawngzawng mahin kutthlak phal a ni lo

PHED aiawh

(Seal)

Junior Engineer, PHED
Ground Water Sub-Division
Aizawl : Mizoram

B. XOTUITLANA 1/2
(B. XOTUITLANA)

WATSAN Committee aiawh

(Seal)

Secretary
WATSAN Committee
Chhuanthar Tlangnuam

Intake Sin beluan chue Forest Conservation ni in, a hrin beluan siam fel takin a ni lo ang. A hrin lam 200 mtg = 100 m².
Intake at unga left 500m to A hrin lam