

SUSTAINABILITY OF WATER SOURCE

(NO.W11019/6/2022-E-inC/PHE/58 Dt. 17.1.2023)

Technology : A hrin dupna chhan chu engtinmah khawih loh vang

Khaw hming : E. PHAILENG

Block : DARLAWN

District : ARAWL DIST

Division, PHED : RWD, PHED

Tui hnar hming : CHALFILH TLANG

Tui tam lam (Discharge) : 5.0 lts / 34 sec

Humhalh duh chhan : Tui hna a lo pun nawn

Humhalh tur ram zauzawng vel : Tim 40 - hmun biel

A ramri chin siamfel a ni em? : Siamfel sa

A ramchungah mimal ram a awm em? : Awm lo

Mihring leh ran luh theihna hung phui a remchang em? : Rem chang

A hung nan a senso ngai zat vel : -

PHED LEH WATSAN COMMITTEE INTIAMNA

He Chalfilh Tlang Tui hnar ram hi humhalh rem kan ti a, mihring leh ran luhna khan remchang lai tur hungphui rem kan ti. He tuihna a lo pun theihnan a ram humhalhna chin hi fel takin hetiang hian siam a ni.

Chhim :

Hmar :

Thlang :

Chhak :

He kan khua tana tuilak hna humhalh tur hian PHED nen thawhho zel rem kan ti a. Tun hnuah humhalh ram chungah thing hring mai ni lovin thingro tlu tak ngial pawh lak phal a ni lo ang. A tul angin tuihna tipung turin thingphun belh leh ruahtui luang chelh ding tur (artificial recharge) hmangin hmalak a ni ang. PHED leh WATSAN Committee remtih dunna lo chuan humhalh chungah hian engti kawngzawng mahin kutthlak phal a ni lo


 PHED aiawh
 Junior Engineer, PHED
 Darlawn WATSAN Sub-Division


 (LALBIAKTLUANGA)
 WATSAN Committee aiawh
 (Seal)
 Secretary
 Village WATSAN Committee (VJM)
 E. Phaileng